

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1369	((public near3 address) same (private near3 address) same network)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L2	524	L1 and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L3	202	L2 and "370"/\$.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L4	363	L1 and ( (name address ID) near2 (table database server)) same (NAT (network\$4 near3 transl\$5))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L5	363	L1 and ( (name address ID) near2 (table database server)) same (NAT (network\$4 near3 transl\$5)) )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L6	202	L5 and "370"/\$.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L7	4273	370/352-356.ccls. and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L8	5700	370/389,392.ccls. and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L9	3622	370/401.ccls. and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L10	727	370/475.ccls. and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L11	2085	(( (name address ID) near2 (table database server stor\$5 memory maintain\$5)) same (NAT (network\$4 near3 transl\$5)) )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L12	103	L7 and L11	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02

L13	107	L8 and L11	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L14	135	L9 and L11	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L15	17	L10 and L11	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L16	593	L11 and ( (dynamic\$6 vary\$5 varie\$3) near3 (address ID) )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L17	33	L7 and L16	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L18	43	L8 and L16	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L19	38	L9 and L16	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L20	8	L10 and L16	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L21	3052	((broadcast\$5 multicast\$5 send \$5 sent transmi\$8 announc\$7) near10 (address ID identif\$8)) and ( (private near3 (address ID identif\$8)) same ( (public\$7 global\$7) near3 (address ID identif\$8) ) )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L22	1326	L21 and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L23	208	L22 and (DNS (name near2 server)) and NAT	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L24	3052	((broadcast\$5 multicast\$5 send \$5 sent transmi\$8 announc\$7) near10 (address ID identif\$8)) and ( (private near3 (address ID identif\$8)) same ( (public\$7 global\$7) near3 (address ID identif\$8) ) )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L25	1326	L24 and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L26	489	L25 and (DNS (name near2 server) DHCP)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02

L27	2010	((broadcast\$5 send\$5 sent transmi\$8 announc\$7) near5 (address ID identif\$8)) and ( (private near3 (address ID identif\$8)) same ( (public\$7 global\$7) near3 (address) ) )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L28	845	L27 and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L29	94	L28 and 709/245.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L30	162	((broadcast\$5 advertise) near5 (address ID identif\$8)) with network) and ( (private near3 (address ID identif\$8)) same ( (public\$7 global\$7) near3 (address) ) )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L31	236	((broadcast\$5 advertis\$7) near5 (address ID identif\$8)) with network) and ( (private near3 (address ID identif\$8)) same ( (public\$7 global\$7) near3 (address) ) )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L32	102	L31 and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L33	429	( (without bypass\$5) near7 (NAT translat\$7 DNS)) and ( (private near3 (address ID identif\$8)) same ( (public\$7 global\$7) near3 (address) ) )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L34	152	L33 and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L35	1	"7412004".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L36	44	new near3 (public\$5 global\$5) near3 address\$5 near7 (broadcast\$5 multicast\$5 send \$5 sent transmi\$8 announc\$7 advertis\$7)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L37	32	L36 and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L38	2	PCT/JP03/06387	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02

L39	3226	(public\$5 global\$5) near3 address\$5 near7 (broadcast\$5 multicast\$5 send\$5 sent transmi\$8 announc\$7 advertis \$7)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L40	468	(new expir\$5 chang\$5) near3 (public\$5 global\$5) near3 address\$5	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L41	205	L39 and L40	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L42	93	L41 and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L43	4	(SCD same handoff same list). clm.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L44	1	"5109390".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L45	27	("5673322"   "5793763"   "5805803"   "5822434"   "5835718"   "5884272"   "5907677"   "5918018"   "5961593"   "6003084"   "6006264"   "6052725"   "6052788"   "6154839"   "6182226"   "6298445"   "6321336"   "6502135"   "6571290"   "6591306"   "6704873"   "6725378"   "6778525"   "6789203"   "6829654").PN. OR ("7039721").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/10 16:02
L46	5733	( (choos\$5 select\$5) near7 (predefin\$5 predetermin\$5) near3 (profile info\$8)) and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L47	5733	( (choos\$5 select\$5) near7 (predefin\$5 predetermin\$5) near3 (profile info\$8)) and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L48	405	L47 and ("726"/\$.ccls. "370"/\$. ccls.)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L49	19	L48 and (NAT DNS)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02

L50	186	L47 and (NAT DNS)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L51	167	L50 not L49	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L52	138	( (choos\$5 select\$5) near7 ( (based adj on) basis accord \$5) near7 ((predefin\$5 predetermin\$5) near3 (profile info\$8))) and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02
L53	54	( (choos\$5 select\$5) near7 (subscriber client) near7 ( (based adj on) basis accord \$5) near7 (QOS priority bandwidth) ) and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/06/10 16:02

**6/ 10/ 2009 4:13:19 PM**

**C:\ Documents and Settings\ psinkantarakorn\ My Documents\ EAST\ Workspaces\ 10656834-2.  
wsp**